



HEAVY DUTY

Koshin Trash Pumps

- **Reasonable price**

About 30% less price compared to same quality trash pumps.
The most affordable price ever.

- **Excellent Quality**


Provides powerful performance and long durability with New KOSHIN engine and enhanced pump.

- **Easy maintenance**

Thoughtful flame for easy replacement of carburetor.

You can clear inside of pump by simply removing pump casing with only one tool.

Special Material for Koshin Trash Pumps



Heavy Duty Trash Pumps



KTZ-80X

Solid Sizes


Max.
20mm

50X Type

Max.
27mm

80X & 100X
Type

■ Performance Curve



Easy & Quick Maintenance

Koshin Original Wrench
as Standard Accessories

Heavy Duty Trash Pumps

Model		KTZ-80X
P U M P	Connection Dia	80 mm(3")
	Connection Thread	Outer Pipe Thread BSP or NPT
	Total Head	21 m (68 ft)
	Delivery Volume	1370 L/min (361 USG/min)
	Max. Suction Lift	8m (26 ft)
	Material for Mechanical Seal	Sic (Silicon Carbide) × Sic
	Material for Impeller	Hi-Chrome
	Material for Volute	FCD450
E N G I N E	Type	Forced Air-Cooled 4-stroke Gasoline Engine
	Model	Koshin K300
	Displacement	301cc
	Rated Output	5.0 kW (6.8 PS) / 3600 rpm
	Max. Output	6.0 kW (8.2 PS) / 3600 rpm
	Fuel	Automotive Unleaded Gasoline
	Fuel Tank Capacity	5.9 L (1.5 USG)
	Continuous Operating Time	Approx. 2.0 hrs
Starting Method		Recoil Starter
Standard Accessories		1 Strainer, 3 Hose Bands, 1 Engine Tool Set, 1 Multi Tool Wrench (BSP Type: 2 Hose Couplings)
Net Weight		61.6 kg (135.8 lbs)
Gross Weight		68.4 kg (150.8 lbs)
Dimensions L×W×H (mm)		726 × 579 × 603
Packing Unit		1